

ISSN: 2230-9926

Available online at http://www.journalijdr.com





RESEARCH ARTICLE OPEN ACCESS

# CARE PROVIDED IN PRIMARY CARE TO ELDERLY PATIENTS WITH CHRONIC NONCOMMUNICABLE DISEASES

\*¹Bruno Abílio da Silva Machado, ²Samuel Lopes dos Santos, ³Winícius de Carvalho Alves, ⁴Kellyane Folha Gois Moreira, ⁵ Francisco Gaunié de Sousa Pessôa, ⁶Patrícia Valério Santos Saraiva, ¹João Costa Ferreira, ®Simone de Souza Cunha Ribeiro, ºLindalva de Moura Rocha, ¹º Bruno Emanuel de Santana Ribeiro, ¹¹Jéssica Fontinele da Silva, ¹²Gabrielly Martins de Barros, ¹³Jessica Sabrina Rodrigues, ¹⁴Lindomar Carvalho Júnior, ¹⁵ Mariana Lima de Brito Silva, ¹⁶Maria Paula Rocha Machado, ¹⁶ Elijane de Jesus Gomes Marques and ¹⁶Raimundo Nonato da Silva Júnior

<sup>1,2</sup> Master's student in Science and Health from the Federal University of Piauí - UFPI, <sup>3</sup> Master's student in Nursing from the Federal University of Rio Grande- FURG, <sup>4</sup>Doctoral student in Nursing from the Federal University of Piauí - UFPI, <sup>5</sup>Bachelor's degree in Nursing from the Faculty of Piauí - UNIFAPI, <sup>6</sup> Master in Women's Health from the Federal University of Piauí - UFPI, <sup>7</sup>Graduation in nursing from UNINASSAU São Luís - MA, <sup>8</sup>Graduation in nursing from UNIFACID University Center, <sup>9</sup>Master in Engineering and Materials Science from the Federal University of Piauí - UFPI, <sup>10</sup>Postgraduate degree in Emergency and Urgency by IESM <sup>11</sup> Specialization in Cardiovascular Care by the University of Pernambuco, <sup>12</sup>Resident in Intensive Care at Hospital Universitário do Piauí - HU/UFPI, <sup>13</sup> Graduation in Nursing from Paulista University - Imperatriz/MA Unit, <sup>14</sup>Graduation in Nursing from UNINASSAU - Teresina/PI, <sup>15</sup>Nursing Graduation by State University of Maranhão - UEMA, <sup>16</sup>Nursing Graduation by CEUMA University - São Luís/MA, <sup>17</sup>Nursing Graduation by Florence Institute of Higher Education - São Luís/MA and 18 Nursing Graduation by University Center Santo Agostinho - UNIFSA.

#### ARTICLE INFO

#### Article History:

Received 27<sup>th</sup> March, 2022 Received in revised form 09<sup>th</sup> April, 2022 Accepted 08<sup>th</sup> May, 2022 Published online 28<sup>th</sup> June, 2022

#### Key Words:

Multidisciplinary Assistance; Health education; Chronic disease; Elderly

\*Corresponding author: Bruno Abílio da Silva Machado

#### **ABSTRACT**

Introduction: Chronic non-communicable diseases are the main cause of death in Brazil, therefore, health professionals must intervene in their knowledge and educational practices to minimize injuries caused by chronic disease in the elderly. **Objective:** to highlight the importance of multidisciplinary team care in primary care for the elderly with non-communicable chronic diseases. Methods: Study with qualitative, descriptive and exploratory subsidy. For the theoretical basis of this study, the following databases were used: MEDLINE, LILACS, BDENF and SciELO. Accessed through advanced search in the Virtual Health Library (VHL). To carry out the search, controlled descriptors and the Boolean operators "AND" were adopted for the simultaneous occurrence of subjects, and "OR", for the occurrence of one or another subject. Results: Educational practices corroborated the control and treatment of non-communicable chronic diseases. Socioeconomic, illiteracy and cultural factors generate a greater challenge for the adherence to medication and/or non-medicated self-care of the elderly. Conclusion: Educational practices are important for the elderly with CNCDs, especially for the elderly with diabetes mellitus and systemic hypertension. The multidisciplinary team contributes to interventions in the adherence of the elderly patient through the reception, with the application of methods, informative materials, which aims to guide, educate and promote the health of the elderly with chronic non-communicable disease.

Copyright © 2022, Bruno Abílio da Silva Machado et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Citation: Bruno Abílio da Silva Machado, Samuel Lopes dos Santos, Winícius de Carvalho Alves, Kellyane Folha Gois Moreira et al. "Care provided in primary care to elderly patients with chronic noncommunicable diseases", International Journal of Development Research, 12, (06), 56905-56908.


## INTRODUCTION

Chronic Noncommunicable Diseases (NCDs), are diseases acquired throughout life, can be arise by genetic factor, environmental factor and lifestyle. In 2019, 54.7% deaths and 11.5% by aggravations were recorded, in the same year were modified 730 thousand deaths by NCDs. The elderly aged 80 years and over, represent high mortality rate (74%), and elderly aged 60 to 79 years (25%). Due to the process of time, with aging the body becomes slower, and when some chronic disease is manifested, the tendency is the reduction of the cognitive level and functionality of the elderly patient (a). In this scenario, the need for specific care arises, which should be accompanied by health professionals, along with assistance from family members and caregivers (FIGUEIREDO et al., 2020). Morbidity and mortality from chronic noncommunicable diseases (NCDs) is alarming in recent years due to epidemiological and nutritional aspects and lack of physical activity, provide the emergence of chronic diseases. More also the socioeconomic aspects, low-income elderly generally do not have health insurance, and to avoid spending on private examination, for this reason is not frequent visits to UBS, laboratories, clinics and hospitals (MALTA et al., 2020). The adoption of a treatment requires a multiprofessional and interdisciplinary work by the team, seeking technologies that promote health education, meet the patients' needs and fulfill the intended goals of promotion, protection and recovery (BECKER et al., 2018). The teamwork will allow a more intrinsic continuous monitoring with users, making health education more effective, facilitating the multiprofessional work, in a horizontal sense, placing the patient as the central axis within this process, showing the benefits that will bring to their quality of life and aging, and always seeking new ways of welcoming. Thus, this study aims to highlight the importance of multidisciplinary team care in primary care to the elderly with chronic noncommunicable diseases. On the assumption of health education in the care of the elderly with chronic noncommunicable diseases.

# **METHODOLOGY**

This is a study of narrative literature review, with qualitative, descriptive and exploratory subsidy, which consists of the rigorous synthesis of relevant results on a given topic, with the main objective of highlighting the importance of care of the multidisciplinary team in primary care to the elderly with chronic noncommunicable diseases (GALVÃO et al., 2004). For the development of this review, the following steps were adopted: 1 - Choice of the theme to be searched. 2 - Preparation of the research guiding question. 3 - Choice of the database. 4 - Choice of descriptors and elaboration of search strategies. 5 - Elaboration of the Inclusion and Exclusion criteria. 6 -Search in the database and 7 - Analysis of the data found. The Problematic of the research was constituted following the PICo strategy: P - elderly carrier of chronic noncommunicable diseases; I -Multidisciplinary team and Co - Primary Care. Therefore, the following research problem was formulated: "What is the care of the multidisciplinary team in primary care to the elderly with chronic noncommunicable diseases? The following databases were used for the theoretical basis of this study: Medical Literature Analysis and Retrieval System Online (MEDLINE), Latin American and Caribbean Literature on Health Sciences (LILACS), Databases on Nursing (BDENF) and Scientific Electronic Library Online (SciELO). Accessed through the advanced search in the Virtual Health Library (VHL). The search was conducted using controlled descriptors and the Boolean operators "AND" for the simultaneous occurrence of issues, and "OR" for the occurrence of one or another issue. The terms used were identified in the Health Sciences Descriptors (DeCS): Chronic diseases, elderly, care, primary health care, health education, family care, health promotion, diabetes mellitus and systemic hypertension". The inclusion criteria were primary articles that presented the nurse's contribution to the integration of care in the context of chronic noncommunicable diseases in the elderly, as a phenomenon of interest, articles. That had been published in English, Portuguese and Spanish languages, available in full between the years

2016 to 2021 (last 5 years), due to be the years that most dismantled publications in the theme of interest of the study in question. The exclusion criteria were: Project document, thesis, monograph, congress and conference. Only articles were selected so that the study was more careful with the information and that did not answer the research question. The selection of articles was performed in two final steps, the first was the analysis of the titles and publications were excluded in which the title did not have the main terms of the research, then the abstracts were analyzed and excluded, which did not meet the research criteria for this article. Subsequently, all articles that met the inclusion criteria were selected, as described in flowchart 1.



Flowchart 1. The Prism Flowchart presents the search and selection process of the articles

Finally, articles were rigorously selected to obtain the most relevant information about the present study, it was verified, the objectives, research methods and results. Those that were most assimilated were chosen for study, through the descriptors used in the MEDLINE, LILACS and BDENF databases. Since this is a review, the research was not submitted to the Research Ethics Committee (CEP), however, the guarantee of ethical and legal precepts is reaffirmed throughout the writing process of this study.

# **RESULTS AND DISCUSSION**

Care practices can be offered in three ways: individual care, collective care and home care. In individual care, it is verified that consultations are made mostly related to medication, food, and comprehensive care with diabetic and hypertensive patient ((FIGUEIREDO et al., 2020). In collective care, patient groups are formed, usually in institutions or shelters for the elderly, coordinated by a nurse, and through these meetings patient's questions and doubts are clarified. Finally, home visits are more restricted to patients who have difficulties in walking to the health unit, patients who have other types of diseases in addition to chronic diseases, mostly elderly patients with diabetes or hypertension (BECKER et al., 2018). In Primary Health Care (PHC), the nursing professional and the multidisciplinary team, when making the reception of their patients should listen to them carefully, this encourages the elderly to talk about what they are really feeling. Thus, the elderly will feel more at ease, contributing to a comprehensive assessment, improving health care and bond of trust

(MAGRI, 2019). Health education is a very effective strategy in promoting the health of the elderly, control and maintenance in the disease, highlighting the care of the elderly, especially the elderly who have two or more chronic diseases, which require specific guidelines and associated with the knowledge of the disease, in the control and its adverse effects during the life of the elderly patient (VASCONCELOS et al., 2017). Thus, health professionals should apply educational practices in individual and/or collective care focused on NCDs in the elderly, present to the patient, informative booklets, actions and plans aimed at promoting the health of the elderly, explain how self-care should be performed for the prevention of injuries by NCDs. Elaborate health care plans and emphasize to both the patient and the companion, the importance and benefits of specific care that the elderly should receive daily before a chronic disease, such as having proper nutrition and encourage physical activity (CASTRO et al., 2018). In addition, elderly patients with low levels of education, cognitive and sensory problems have greater difficulty in understanding and memorizing all the information expressed by the nurse educator. These are some of the difficulties that nurses deal with so that care is continuous and that an adequate and efficient assessment is made; otherwise, there may be negative impacts on the elderly's health if the professional's guidelines are not adhered to. In this scenario, the presence of the caregiver is relevant so that he/she can accompany and help the elderly patient in the pharmacological practices and health care of the elderly patient (SCORTEGAGNA et al., 2021).

In PHC, health care practices are performed to investigate and provide the necessary care to elderly patients. The prevention of diseases is related to the epidemiological aspect of the disease, where it is possible to make a study on certain chronic disease, in order to minimize the risk of injuries in elderly patients. Health promotion is one of the strategies in the health field, which aims to improve the quality of life of patients through health policies, plans and programs (REGNE et al., 2021). Frailty is associated with several adverse risks due to age, such as risk of falling, reduced functionality, inhibited cognitive capacity, dependence, increased risk of hospitalization and death. The identification of these factors in PHC is important for the adequate planning and monitoring of the elderly, such as the development of goals and strategies for the promotion of elderly health (Oliveira et al., 2020). The multidisciplinary team has an important role in the development of care plans, being relevant to the care of the elderly with chronic noncommunicable disease (NCD). It is currently a health problem that is increasing over the years, and is worrying because it is a permanent pathology that needs to be monitored throughout the patient's life to prevent injuries and hospitalizations (BECKER et al., 2018). Polypharmacy among chronic diseases, diabetes and hypertension, is a triggering factor for health problems, because the inappropriate consumption of medicines can cause health risks (COSTA et al., 2021). Therefore, this is one of the care that the care team should inform patients, because the use of self-medication, especially in the elderly with cognitive problems that have more difficulty in adhering to these medications, and who depend on other people to control the daily consumption of medications. Thus, highlighting the importance of health education for the elderly in the context of PHC.

### CONCLUDING REMARKS

The results indicate that health education should be more comprehensive, not only in PHC, but also in communities, health events, lectures and conferences. Thus, family members of elderly patients may have information that can be beneficial at some point in their lives. Therefore, adherence to the control and treatment of chronic diseases depends on the patient, but it is up to the professional to influence in a humanized way the self- care practices for the elderly with chronic diseases, and especially that the family contributes to the promotion of health of the elderly. Adding to this, that through this care they can live normally or at least without danger of developing major problems because of the chronic disease noncommunicable.

# REFERENCES

- ANJOS, K. F. D. *et al.* Influencia de prácticas educativas de salud sobre responsabilidades de enfermeras, agentes de salud y cuidadores familiares para el cuidado de ancianos dependientes. Revista Cubana de Enfermería, Cuba, v. 36, n. 4, p. 1-12, dec./2020. Available at: http://revenfermeria.sld.cu/index.php/enf/article/view/3476
- ARAÚJO, E. S.S. *et al.* Nursing care to the patient with diabetes based on King's Theory. Revista Brasileira de Enfermagem, Ceará, v. 71, n. 3, p. 1157-1163, jun./2018. Available at: https://doi.org/10.1590/0034-7167-2016-0268
- BECKER, Renata Machado *et al.* Nursing care practices for people with Chronic Noncommunicable Diseases. Revista Brasileira de Enfermagem [online]. v. 71, n 6, pp. 2643-2649. Nov, 2018. Available at: https://doi.org/10.1590/0034-7167-2017-0799
- BECKER, Renata Machado; HEIDEMANN, I. T. S. B. Health promotion in care for people with chronic non-transmittable disease: integrative review. Texto & Contexto Enfermagem, Santa Catarina, v. 29, n. 1, p.1-18, fev./2020. Disponível em: https://doi.org/10.1590/1980-265X-TCE-2018-0250
- BRANDÃO, M. A. G. *et al.* Nursing theories in the conceptual expansion of good nursing practices. Revista Brasileira de Enfermagem, Brasília, v. 72,n. 2, p.604-608, abr./2019. Available at:http://dx.doi.org/ 10.1590/0034-7167-2018-0395
- BRASIL, Ministério da Saúde. Plano de ações estratégicas para o enfretamento das doenças e agravos não transmissíveis no Brasil. Plano de Dant, Brasília-DF, 2021. Available at: https://bvsms.saude.gov.br/.
- CASTRO, A. P. D. *et al.* Primoting health among the elderly: actions in primary health care. Revista Brasileira de Geriatria e Gerontologia [online], Rio de Janeiro, v. 21, n. 2, p. 158-167, abr./2018. Disponível em: https://doi.org/10.1590/1981-22562018021.170133
- CECILIO, S. G. *et al.* Teaching strategies used in the training of the nurse educator: integrative review. Revista Rene, Minas Gerais, v. 22, n. 1, p. 1-10, feb./2021. Available at: DOI: 10.15253/2175-6783.20212261210
- COSTA, Kalidia Felipe de Lima *et al*. Nursing theory for patients' compliance with the treatments of arterial hypertension and diabetes mellitus. Texto & Contexto Enfermagem, Santa Catarina, v. 30, n. 1, p. 1-13, aug./2021. Disponível em: http://dx.doi.org/10.1590/1980-265x-tce-2020-0344.
- DIAZ, L. J. R; CRUZ, D. D. A. L. M. D. Model adaptation in a controlled clinical trial with family caregivers of people with chronic diseases. Texto & Contexto - Enfermagem, Santa Catarina, v. 26, n. 4, p. 1-10, aug./2017. Available at: https://doi.org/10.1590/0104-070720170000970017
- FAVARO, D. T. L. et al. Educational groups for the control of hypertension and diabetes mellitus: integrative literature review. Arquivos de Ciência da Saúde, São Paulo, v. 24, n. 1, p. 7-14, mar./2017. Disponível em: https://doi.org/10.17696/2318-3691.24.1.2017.534.
- FERREIRA, Jaqueline. Chronic noncommunicable diseases and the dilemmas of care: the theory of negotiated order revisited. Saúde e Sociedade, São Paulo, v. 29, n. 4, p. 545-556, dec./2020. Available at: https://doi.org/10.1590/S0104-12902020190149
- FIGUEIREDO, A. E. B; CECCON, Roger Flores; FIGUEIREDO, J. H. C. Doenças
- crônicas não transmissíveis e suas implicações na vida de idosos dependentes. Ciência & Saúde Coletiva, Rio de Janeiro, v. 26, n. 1, p. 77-88, jan./2021. Available at: https://doi.org/10.1590/1413-81232020261.33882020
- MAGALHÃES, A. E. D. et *al.* O cuidado familiar e da estratégia saúde da família na perspectiva do usuário com processo crônico de saúde . Ciênc. cuid. saúde , Minas Gerais, v 19, p. 1-9, jul./2020. Available at: https://doi.org/10.4025/ cienccuidsaude.v19i0.50166
- MAGRI, S. *et al.* Programa de educação em saúde melhora indicadores de autocuidado em diabetes e hipertensão. Rev Eletron Comun Inf Inov Saúde, Rio Grande do Sul, v. 14, n. 2, p.

- 386-400, jun./2020. Available at: https://doi.org/10.29397/reciis.v14i2.1788
- MALTA, D. C. et al. Noncommunicable diseases and the use of health services: analysis of the National Health Survey in Brazil. Revista de Saúde Pública, São Paulo, v. 51, n. 1, p. 1-10, jan./2017. Disponível em: https://doi.org/10.1590/S1518-8787.2017051000090
  - MALTA, Deborah Carvalho *et al.* Doenças Crônicas Não Transmissíveis na Revista Ciência & Saúde Coletiva: um estudo bibliométrico. Ciência & Saúde Coletiva , Rio de Janeiro, v. 25, n. 12, p. 4757-4769, mai./2020. Disponível em: https://doi.org/10.1590/1413-812320202512.16882020
- OLIVEIRA, P. R. C. et al. Fatores associados à fragilidade em idosos acompanhados na atenção Primária à Saúde. Escola Anna Nery [online], Rio de Janeiro, v. 25, n. 4, p. 1-10, abr./2021. Disponível em: https://doi.org/10.1590/2177-9465-EAN-2020-0355
- PLACIDELI, N. *et al.* Evaluation of comprehensive care for older adults in primary care services. Revista De Saúde Pública [online], São Paulo, v. 54, n. 6, p. 1-14, jan./2020. Disponível em: https://doi.org/10.11606/s1518-8787.2020054001370

- REGNE, G. R. S. *et al.* Intervenções para portadores de doenças crônicas não- transmissíveis: relato de experiência e estudo epidemiológico. Rev Fun Care Online, Minas Gerais, v. 13, p. 763-767, jun./2021. Disponível em: https://doi.org/10.9789/2175-5361.rpcfo.v13.9194
- SALCI, Maria Aparecida; MEIRELLES, B. H. S; SILVA, D. M. V.
  G. D. Um olhar para a prevenção das complicações crônicas do diabetes sob as lentes da complexidade. Texto & Contexto Enfermagem, Santa Catarina, v. 27, n. 1, p. 1-8, jan./2018.
  Disponível em: https://doi.org/10.1590/0104-07072018002370016
- SCORTEGAGNA, H. D. M. et *al*. Letramento funcional em saúde de idosos hipertensos e diabéticos atendidos na Estratégia Saúde da Família. Escola Anna Nery [online], Rio de Janeiro, v. 25, n. 4, p. 1-7, mai./2021. Available at: https://doi.org/10.1590/2177-9465-EAN-2020-0199
- TAVARES, N. U. L. *et al.* Factors associated with low adherence to drug treatment for chronic diseases in Brazil. RevIsta Saúde Pública, São Paulo, v. 50, n. 2, p. 1-11, dec./2016. Available at: https://doi.org/10.1590/s1518- 8787.2016050006150
- VASCONCELOS, M. I. O. *et al.* Health Education in Primary Care: Uma análise das ações com hipertensos. Revista APS, Ceará, v. 20, n. 2, p. 253-262, jun./2017. Disponível em: https://doi.org/10.34019/1809-8363.2017.v20.15943.

\*\*\*\*\*